

Appl. No. 10/021,339  
Amdt. Dated 11/22/2004  
Reply to Office Action of July 22, 2004

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method for transmitting information over a wireless network, comprising:  
converting incoming wireless signals to intermediate frequency (IF) signals;  
transmitting the converted IF signals over a wired network;  
retrieving the transmitted IF signals from the wired network; and  
converting the retrieved IF signals to digital data that can be routed to a destination.
2. (Original) The method of claim 1, wherein the converting of the incoming wireless signals includes converting radio frequency (RF) signals to IF signals.
3. (Original) The method of claim 1, wherein the wired network includes alternating current (AC) wiring.
4. (Original) The method of claim 3, wherein the IF signals are baseband signals.
5. (Original) The method of claim 1, wherein the destination is at least one of a gateway and server.
6. (Withdrawn) An Access Point comprising:  
a radio frequency (RF) up/down converter to convert RF signals to intermediate frequency (IF) analog signals; and  
an IF module to transmit the IF analog signals over a wired communication link for subsequent conversion into digital data at the destination.
7. (Withdrawn) The Access Point of claim 6, wherein the wired communication link is alternating current (AC) electrical wiring.
8. (Withdrawn) The Access Point of claim 6, wherein the wired communication link is a twisted pair telephone line.

Appl. No. 10/021,339  
Amdt. Dated 11/22/2004  
Reply to Office Action of July 22, 2004

9. (Withdrawn) The Access Point of claim 6 further comprising an antenna to receive the RF signals.

10. (Withdrawn) An Access Point comprising:  
a first software module operating as an up/down converter to convert wireless signals to intermediate frequency (IF) analog signals; and  
a second software module operating in conjunction with the first software module to transmit the IF analog signals over a wired communication link for subsequent conversion into digital data at the destination.

11. (Withdrawn) The Access Point of claim 10, wherein the wired communication link is alternating current (AC) electrical wiring.

12. (Withdrawn) The Access Point of claim 10, wherein the wired communication link is a twisted pair telephone line.

13. (Withdrawn) The Access Point of claim 10 further comprising an antenna to receive the RF signals.

14. (Withdrawn) The Access Point of claim 10, wherein the up/down converter is a radio frequency (RF) up/down converter to convert RF signals into the IF analog signals.

15. (Withdrawn) An intermediary unit comprising:  
a connector coupled to a wired communication link;  
an intermediary frequency (IF) module to receive incoming IF signals over the wired communication link; and  
an IF-to-Digital converter to convert the incoming IF signals to digital data and format the digital data according to a format associated with a digital communication link.

16. (Withdrawn) The intermediary unit of claim 15, wherein the connector is an electrical plug based on the wired communication link being electrical wiring.

Appl. No. 10/021,339  
Amdt. Dated 11/22/2004  
Reply to Office Action of July 22, 2004

17. (Withdrawn) The intermediary unit of claim 15, wherein the connector is a telephone plug for insertion into a telephone jack based on the wired communication link being a telephone line.

18. (Withdrawn) The intermediary unit of claim 15, wherein the IF-to-Digital converter formats the digital data according to an Ethernet format based on the digital communication link being an Ethernet communication link.

19. (Withdrawn) An intermediary unit comprising:  
a connector coupled to a wired communication link;  
an IF-to-Digital converter to receive incoming digital data sent over a digital communication link, and convert the incoming digital data to IF signals; and  
an intermediary frequency (IF) module to send the IF signals over the wired communication link to a wired network.

20. (Withdrawn) The intermediary unit of claim 19, wherein the connector is an electrical plug based on the wired communication link being electrical wiring.

21. (Withdrawn) The intermediary unit of claim 19, wherein the connector is a telephone plug for insertion into a telephone jack based on the wired communication link being a telephone line.

22. (Original) A method for transmitting information over a wireless network, comprising:  
converting incoming digital data to intermediate frequency (IF) signals;  
transmitting the converted IF signals over a wired network;  
retrieving the transmitted IF signals from the wired network; and  
converting the retrieved IF signals to wireless signals that can be routed to a wireless unit.

23. (Original) The method of claim 22, wherein the converting of the retrieved IF signals includes converting the retrieved IF signals to radio frequency (RF) signals.

Appl. No. 10/021,339  
Amdt. Dated 11/22/2004  
Reply to Office Action of July 22, 2004

24. (Original) The method of claim 22, wherein the wired network includes alternating current (AC) wiring.